

Unique Id : Use your Registration Id  
 Category : Category

Received on :  
 Accepted on :

# Your Title

XXX\*<sup>1</sup> and YYY<sup>2</sup>

<sup>1</sup>AAA Institute, BBB City, State, Country , xxx@gmail.com

<sup>2</sup>CCC Institute, DDD City, State, Country , yyy@gmail.com

## Abstract

The abstract serves both as a general introduction to the topic and as a brief, non-technical summary of the main results and their implications. Authors are advised to check the author instructions for the journal they are submitting to for word limits and if structural elements like subheadings, citations, or equations are permitted.

**Keywords:** XXXX, YYYY, ZZZZ

**AMS subject classifications.** XX00, YY00, ZZ00.

---

\*Presenting Author.

## 1 Introduction

The Introduction section, of referenced text [5] expands on the background of the work (some overlap with the Abstract is acceptable). The introduction should not include subheadings.

## 2 Preliminaries

This section contains all the necessary definitions, theorems, Flow chart, etc.,

## 3 Problem Formulation

This section is the main theme of the research work. The formulation of the research problem, new definitions, new theorems and all the new works belongs to this section.

## 4 Equations

Equations in L<sup>A</sup>T<sub>E</sub>X can either be inline or on-a-line by itself (“display equations”). For inline equations use the  $\$...\$$  commands. E.g.: The equation  $H\psi = E\psi$ .

For display equations (with auto generated equation numbers) one can use the `equation` or `align` environments:

$$\|\tilde{X}(k)\|^2 \leq \frac{\sum_{i=1}^p \|\tilde{Y}_i(k)\|^2 + \sum_{j=1}^q \|\tilde{Z}_j(k)\|^2}{p+q}. \quad (1)$$

where,

$$\begin{aligned} D_\mu &= \partial_\mu - ig \frac{\lambda^a}{2} A_\mu^a \\ F_{\mu\nu}^a &= \partial_\mu A_\nu^a - \partial_\nu A_\mu^a + gf^{abc} A_\mu^b A_\nu^c \end{aligned} \quad (2)$$

Notice the use of `\nonumber` in the [4] `align` environment at the end of each line, except the last, so as not to produce equation numbers on lines where no equation numbers are required. The `\label{}` command should only be used at the last line of an `align` environment where `\nonumber` is not used.

$$Y_\infty = \left(\frac{m}{\text{GeV}}\right)^{-3} \left[1 + \frac{3 \ln(m/\text{GeV})}{15} + \frac{\ln(c_2/5)}{15}\right] \quad (3)$$

## 5 Tables

Tables can be inserted via the normal table and tabular environment. To put footnotes inside tables you should use `\footnotetext[]{\dots}` tag [7]. The footnote appears just below the table itself (refer Tables 1 and 2). For the corresponding footnote mark use `\footnotemark[\dots]`

Table 1: Caption text			
Column 1	Column 2	Column 3	Column 4
row 1	data 1	data 2	data 3
row 2	data 4	data 5 <sup>1</sup>	data 6
row 3	data 7	data 8	data 9 <sup>2</sup>

Table 2: Example of a lengthy table which is set to full textwidth						
Project	Element 1 <sup>1</sup>			Element 2 <sup>2</sup>		
	Energy	$\sigma_{calc}$	$\sigma_{expt}$	Energy	$\sigma_{calc}$	$\sigma_{expt}$
Element 3	990 A	1168	$1547 \pm 12$	780 A	1166	$1239 \pm 100$
Element 4	500 A	961	$922 \pm 10$	900 A	1268	$1092 \pm 40$

## 6 Figures

As per the L<sup>A</sup>T<sub>E</sub>X standards you need to use eps images for L<sup>A</sup>T<sub>E</sub>X compilation and pdf/jpg/png images for PDFLaTeX compilation. This is one of the major difference between L<sup>A</sup>T<sub>E</sub>X and PDFLaTeX. Each image should be from a single input .eps/vector image file. Avoid using subfigures. The command for inserting images for L<sup>A</sup>T<sub>E</sub>X and PDFLaTeX can be generalized [11, 8]. The package used to insert images in LaTeX/PDFLaTeX is the graphicx package. Figures can be inserted via the normal figure environment as shown in the below example:

## 7 Algorithms, Program codes and Listings

Packages `algorithm`, `algorithmicx` and `algpseudocode` are used for setting algorithms in L<sup>A</sup>T<sub>E</sub>X using the format: You may refer above listed package documentations for more details before setting `algorithm` environment. For




Figure 1: This is a widefig. This is an example of long caption this is an example of long caption this is an example of long caption this is an example of long caption

program codes, the “verbatim” package is required and the command to be used is `\begin{verbatim} ... \end{verbatim}`.

Similarly, for listings, use the listings package. `\begin{lstlisting} ... \end{lstlisting}` is used to set environments similar to verbatim environments. Refer to the `lstlisting` package documentation for more details.

A fast exponentiation procedure:

```

begin
  for i:=1 to 10 step 1 do
    expt(2,i);
    newline() od
flush to the right margin
where
proc expt(x,n) ≡
  z:=1;
  do if n=0 then exit fi;
  do if odd(n) then exit fi;
  comment: This is a comment statement;
  n:=n/2; x:=x*x od;
  { n>0 };
  n:=n-1; z:=z*x od;

```

Comments will be set

```
print(z).  
end
```

---

**Algorithm 1** Calculate  $y = x^n$ 

---

**Require:**  $n \geq 0 \vee x \neq 0$ **Ensure:**  $y = x^n$ 

```
1:  $y \leftarrow 1$   
2: if  $n < 0$  then  
3:    $X \leftarrow 1/x$   
4:    $N \leftarrow -n$   
5: else  
6:    $X \leftarrow x$   
7:    $N \leftarrow n$   
8: end if  
9: while  $N \neq 0$  do  
10:  if  $N$  is even then  
11:     $X \leftarrow X \times X$   
12:     $N \leftarrow N/2$   
13:  else [ $N$  is odd]  
14:     $y \leftarrow y \times X$   
15:     $N \leftarrow N - 1$   
16:  end if  
17: end while
```

---

```
for i:=maxint to 0 do  
begin  
  { do nothing }  
end;  
Write( 'Case-insensitive- ');  
Write( 'Pascal-keywords.' );
```

## 8 Cross referencing

Environments such as figure, table, equation and align can have a label declared via the `\label{#label}` command. For figures and table environments use the `\label{}` command inside or just below the `\caption{}` command. You can then use the `\ref{#label}` command to cross-reference

them. As an example, consider the label declared for Figure 1 which is `\label{fig1}`. To cross-reference it, use the command `Figure \ref{fig1}`, for which it comes up as “Figure 1”.

To reference line numbers in an algorithm, consider the label declared for the line number 2 of Algorithm 1 is `\label{algn2}`. To cross-reference it, use the command `\ref{algn2}` for which it comes up as line 2 of Algorithm 1.

## 8.1 Details on reference citations

Standard L<sup>A</sup>T<sub>E</sub>X permits only numerical citations. To support both numerical and author-year citations this template uses `natbib` L<sup>A</sup>T<sub>E</sub>X package. For style guidance please refer to the template user manual.

Here is an example for `\cite{...}`: [5]. Another example for `\citep{...}`: [11]. For author-year citation mode, `\cite{...}` prints Jones et al. (1990) and `\citep{...}` prints (Jones et al., 1990).

All cited bib entries are printed at the end of this article: [8], [7], [4], [10], [12], [6], [9], [2], [3], [13] and [1].

## 9 Examples for theorem like environments

For theorem like environments, we require `amsthm` package. There are three types of predefined theorem styles exists—`thmstyleone`, `thmstyletwo` and `thmstylethree`

<code>thmstyleone</code>	Numbered, theorem head in bold font and theorem text in italic style
<code>thmstyletwo</code>	Numbered, theorem head in roman font and theorem text in italic style
<code>thmstylethree</code>	Numbered, theorem head in bold font and theorem text in roman style

For mathematics journals, theorem styles can be included as shown in the following examples:

**Theorem 1** (Theorem subhead). *Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

**Proposition 1.** *Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

**Example 1.** *Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maece-nas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

**Remark:** *Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maece-nas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

**Definition 1** (Definition sub head). *Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text.*

Additionally a predefined “proof” environment is available: `\begin{proof}` ... `\end{proof}`. This prints a “Proof” head in italic font style and the “body text” in roman font style with an open square at the end of each proof environment.

*Proof.* Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. □

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

*Proof of Theorem 1.* Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text.  $\square$

For a quote environment, use `\begin{quote}...\end{quote}`

Quoted text example. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text (refer Figure 1). Sample body text. Sample body text. Sample body text (refer Table ??).

## 10 Methods

Topical subheadings are allowed. Authors must ensure that their Methods section includes adequate experimental and characterization data necessary for others in the field to reproduce their work. Authors are encouraged to include RIIDs where appropriate.

**Ethical approval declarations** (only required where applicable) Any article reporting experiment/s carried out on (i) live vertebrate (or higher invertebrates), (ii) humans or (iii) human samples must include an unambiguous statement within the methods section that meets the following requirements:

- Approval: a statement which confirms that all experimental protocols were approved by a named institutional and/or licensing committee. Please identify the approving body in the methods section
- Accordance: a statement explicitly saying that the methods were carried out in accordance with the relevant guidelines and regulations
- Informed consent (for experiments involving humans or human tissue samples): include a statement confirming that informed consent was obtained from all participants and/or their legal guardian/s



If your manuscript includes potentially identifying patient/participant information, or if it describes human transplantation research, or if it reports results of a clinical trial then additional information will be required. Please visit (<https://www.nature.com/nature-research/editorial-policies>) for Nature Portfolio journals, (<https://www.springer.com/gp/authors-editors/journal-author/journal-author-helpdesk/publishing-ethics/14214>) for Springer Nature journals, or (<https://www.biomedcentral.com/getpublished/editorial-policies#ethics+and+consent>) for BMC.

## 11 Discussion

Discussions should be brief and focused. In some disciplines use of Discussion or 'Conclusion' is interchangeable. It is not mandatory to use both. Some journals prefer a section 'Results and Discussion' followed by a section 'Conclusion'. Please refer to Journal-level guidance for any specific requirements.

## 12 Conclusion

Conclusions may be used to restate your hypothesis or research question, restate your major findings, explain the relevance and the added value of your work, highlight any limitations of your study, describe future directions for research and recommendations.

In some disciplines use of Discussion or 'Conclusion' is interchangeable. It is not mandatory to use both. Please refer to Journal-level guidance for any specific requirements.

## Declarations

Some journals require declarations to be submitted in a standardised format. Please check the Instructions for Authors of the journal to which you are submitting to see if you need to complete this section. If yes, your manuscript must contain the following sections under the heading 'Declarations':

- Funding
- Conflict of interest/Competing interests (check journal-specific guidelines for which heading to use)
- Ethics approval

- Consent to participate
- Consent for publication
- Availability of data and materials
- Code availability
- Authors' contributions

If any of the sections are not relevant to your manuscript, please include the heading and write 'Not applicable' for that section.

## **Appendix A    Section title of first appendix**

An appendix contains supplementary information that is not an essential part of the text itself but which may be helpful in providing a more comprehensive understanding of the research problem or it is information that is too cumbersome to be included in the body of the paper.

## References

- [1] T. M. C. Abbott et al. Dark Energy Survey Year 1 Results: Constraints on Extended Cosmological Models from Galaxy Clustering and Weak Lensing. *Phys. Rev. D*, 99(12):123505, 2019.
- [2] S. A. Babichev, J. Ries, and A. I. Lvovsky. Quantum scissors: teleportation of single-mode optical states by means of a nonlocal single photon, 2002. Preprint at <https://arxiv.org/abs/quant-ph/0208066v1>.
- [3] M. Beneke, G. Buchalla, and I. Dunietz. Mixing induced CP asymmetries in inclusive B decays. *Phys. Lett.*, B393:132–142, 1997.
- [4] M. Broy. Software engineering—from auxiliary to key technologies. In M. Broy and E. Denert, editors, *Software Pioneers*, pages 10–13. Springer, New York, 1992.
- [5] S. L. Campbell and C. W. Gear. The index of general nonlinear DAES. *Numer. Math.*, 72(2):173–196, 1995.
- [6] S. T. Chung and R. L. Morris. Isolation and characterization of plasmid deoxyribonucleic acid from streptomyces fradiae, 1978. Paper presented at the 3rd international symposium on the genetics of industrial microorganisms, University of Wisconsin, Madison, 4–9 June 1978.
- [7] K. O. Geddes, S. R. Czapor, and G. Labahn. *Algorithms for Computer Algebra*. Kluwer, Boston, 1992.
- [8] C. Hamburger. Quasimonotonicity, regularity and duality for nonlinear systems of partial differential equations. *Ann. Mat. Pura. Appl.*, 169(2):321–354, 1995.
- [9] Z. Hao, A. AghaKouchak, N. Nakhjiri, and A. Farahmand. Global integrated drought monitoring and prediction system (gidmaps) data sets, 2014. figshare <https://doi.org/10.6084/m9.figshare.853801>.
- [10] R. S. Seymour, editor. *Conductive Polymers*. Plenum, New York, 1981.
- [11] M. K. Slifka and J. L. Whitton. Clinical implications of dysregulated cytokine production. *J. Mol. Med.*, 78:74–80, 2000.
- [12] S. E. Smith. Neuromuscular blocking drugs in man. In E. Zaimis, editor, *Neuromuscular junction. Handbook of experimental pharmacology*, volume 42, pages 593–660, Heidelberg, 1976. Springer.

- [13] B. Stahl. deepSIP: deep learning of Supernova Ia Parameters. Astrophysics Source Code Library, Jun 2020.